

acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Interflon LeafGuard-Clean OTR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Cleaning agent Scope cleaning agent

1.3 Details of the supplier of the safety data sheet

Interflon BV Belder 47 4704 RK Roosendaal Netherlands

Telephone: +31 (0)165 553911 e-mail: Service@Interflon.com Website: www.Interflon.com

e-mail (competent person) msds.uk@interflon.com

1.4 Emergency telephone number

Poison centre					
Country	Name	Postal code/ city	Telephone	Telefax	Opening hours
United Kingdom	UK National Poison Centre		UK National Pois- ons Emergency number: +44 870 600 6266		Mon - Fri 12:00 AM - 11:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

- Signal word. danger

United Kingdom: en Page: 1 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

- Pictograms

GHS05



- Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protec-

tion/....

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container to industrial combustion plant.

·

phosphoric acid, 2-[(2-ethylhexyl)oxy]ethanol, Hexyl D-glucoside

2.3 Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Results of PBT and vPvB assessment

- Hazardous ingredients for labelling

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Product description

Mixture of organic acids, surface-active substances and water

Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
phosphoric acid	CAS No 7664-38-2 EC No 231-633-2	25 - < 50	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318	B B(a) IOELV
Trisodium orthophosphate	CAS No 10101-89-0 7601-54-9 EC No 231-509-8	2.5 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	

United Kingdom: en Page: 2 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Hexyl D-glucoside	CAS No 54549-24-5 EC No 259-217-6	1 - < 2.5	Eye Dam. 1 / H318	
2-[(2-ethylhexyl)oxy]ethanol	CAS No 26468-86-0	1 - < 2.5	Eye Dam. 1 / H318	

Notes

B(a):

The classification refers to an aqueous solution

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

IOELV: Substance with a community indicative occupational exposure limit value

Concentration limit, M-Factor, ATE

Hazardous ingredients, Specific Conc. Limits, M-factors, ATE						
Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route		
phosphoric acid	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	1,250 ^{mg} / _{kg}	oral		

Regulation 648/2004/EC on detergents

Wt%	Constituents	Weight % content (or range)
< 5 %	phosphates non-ionic surfactants	less than 5 %

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

United Kingdom: en Page: 3 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist, Fire extinguishing powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Phosphorus oxides (PxOy)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 4 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

Date of issue Version number: Revision: 2023-02-02. 2023-02-02

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures
- Keep away from

Caustic solutions

Advice on general occupational hygiene

Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a wellventilated place.

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Flammability hazards

Keep in a cool place.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)									
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]	Source
EU	orthophosphoric acid	7664-38-2	IOELV		1		2			2000/ 39/EC
GB	orthophosphoric acid	7664-38-2	WEL		1		2			EH40/ 2005

Notation

Τ\Λ/Δ

Ceiling-C STEL

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

 $time-weighted\ average\ (long-term\ exposure\ limit):\ measured\ or\ calculated\ in\ relation\ to\ a\ reference\ period\ of\ 8\ hours$ time-weighted average (unless otherwise specified)

United Kingdom: en Page: 5 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hexyl D-glucoside	54549-24-5	DNEL	420 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Hexyl D-glucoside	54549-24-5	DNEL	595,000 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Hexyl D-glucoside	54549-24-5	PNEC	0.176 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Hexyl D-glucoside	54549-24-5	PNEC	0.018 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Hexyl D-glucoside	54549-24-5	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Hexyl D-glucoside	54549-24-5	PNEC	0.722 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Hexyl D-glucoside	54549-24-5	PNEC	0.072 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Hexyl D-glucoside	54549-24-5	PNEC	0.654 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

General safety precautions

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Wash hands after use.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear protective gloves. Type of material. NBR: acrylonitrile-butadiene rubber. CR: chloroprene (chlorobutadiene) rubber. PVC: polyvinyl chloride.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 6 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	30 °C
Boiling point or initial boiling point and boiling range	150 °C
Flammability	non-combustible
Lower and upper explosion limit	non-combustible
Flash point	not relevant
Auto-ignition temperature	270 °C
Decomposition temperature	not relevant
pH (value)	1.5 (in aqueous solution: 1 % (^w / _w)) (acid)
Kinematic viscosity	not relevant
Solubility(ies)	easily soluble

Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant
---	--------------

Density and/or relative density

Density	1.27 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available / not relevant

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

United Kingdom: en Page: 7 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
phosphoric acid	7664-38-2	oral	1,250 ^{mg} / _{kg}

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
phosphoric acid	7664-38-2	oral	LD50	1,250 ^{mg} / _{kg}	mouse
phosphoric acid	7664-38-2	dermal	LD50	2,740 ^{mg} / _{kg}	rabbit

United Kingdom: en Page: 8 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

United Kingdom: en Page: 9 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

HP 8 corrosive

List of wastes

- Product

20 01 29* detergents containing hazardous substances

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 1805
IMDG-Code	UN 1805
ICAO-TI	UN 1805

14.2 UN proper shipping name

ADR/RID	PHOSPHORIC ACID, SOLUTION
IMDG-Code	PHOSPHORIC ACID, SOLUTION

ICAO-TI Phosphoric acid, solution

14.3 Transport hazard class(es)

ADR/RID	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADR/RID	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

United Kingdom: en Page: 10 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International	Carriage of Dangerous	Goods by Road (ADR) -
Additional information	3	•

Classification code C1
Danger label(s) 8



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) E
Hazard identification No 80
Emergency Action Code 2R

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code C1
Danger label(s) 8



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8



Segregation group

Special provisions (SP) 223

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

United Kingdom: en Page: 11 / 16

1 - Acids



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/1	2012/18/EU (Seveso III)		
No	No Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		
	not assigned		

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Interflon LeafGuard-Clean OTR	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3

United Kingdom: en Page: 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.2		Relevant identified uses: Cleaning agent	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
3.2		Hazardous ingredients: change in the listing (table)	yes
3.2		Concentration limit, M-Factor, ATE	yes
3.2		Regulation 648/2004/EC on detergents	yes
3.2		Regulation 648/2004/EC on detergents: change in the listing (table)	yes
8.2	Hand protection: Wear protective gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Check leak-tightness/impermeability prior to use. Type of material. NBR: acrylonitrilebutadiene rubber. CR: chloroprene (chlorobutadiene) rubber. PVC: polyvinyl chloride.	Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear protective gloves. Type of material. NBR: acrylonitrile-butadiene rubber. CR: chloroprene (chlorobutadiene) rubber. PVC: polyvinyl chloride.	
8.2	Respiratory protection: Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	yes

United Kingdom: en Page: 13 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1	Lower and upper explosion limit: not determined	Lower and upper explosion limit: non-combustible	yes
9.1	Flash point: not determined	Flash point: not relevant	yes
9.1	Kinematic viscosity: not determined	Kinematic viscosity: not relevant	yes
9.1	Solubility(ies): not determined	Solubility(ies): easily soluble	yes
9.1	Partition coefficient n-octanol/water (log value): this information is not available	Partition coefficient n-octanol/water (log value): not relevant	yes
9.1	Relative vapour density: information on this property is not available	Relative vapour density: information on this property is not available / not relevant	yes
11.1		Acute toxicity of components of the mixture: change in the listing (table)	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.	yes
13.1		Properties of waste which render it hazardous: change in the listing (table)	yes
15.1		National regulations (GB)	yes
15.1		Restrictions according to GB REACH, Annex 17: none of the ingredients are listed	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

United Kingdom: en Page: 14 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Abbr.	Descriptions of used abbreviations
	·
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds

United Kingdom: en Page: 15 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon LeafGuard-Clean OTR

 Version number:
 Date of issue
 Revision:

 1.4
 2023-02-02
 2023-02-02.

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 16 / 16